

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/621,516	07/18/2003	Steven Kresnyak	9-16066-1US-1-1	1162
7.	590 04/14/2004		EXAMINER	
Ogilvy Renault			NGUYEN, TAM M	
Suite 1600 1981 McGill C	ollege Avenue		ART UNIT	PAPER NUMBER
Montreal, QC			1764	
CANADA			DATE MAILED: 04/14/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

		<u> </u>				
•		Application No.	Applicant(s)			
		10/621,516	10/621,516 KRESNYAK, STEVEN			
	Office Action Summary	Examiner	Art Unit			
		Tam M. Nguyen .	1764			
Period fe	The MAILING DATE of this communicat or Reply	ion appears on the cover sheet wit	h the correspondence address			
THE - External control	MORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICA ensions of time may be available under the provisions of 37 r SIX (6) MONTHS from the mailing date of this communical period for reply specified above is less than thirty (30) date of period for reply is specified above, the maximum statutor ure to reply within the set or extended period for reply will, reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	TION. 7 CFR 1.136(a). In no event, however, may a reation. 19s, a reply within the statutory minimum of thirty period will apply and will expire SIX (6) MONT by statute, cause the application to become AB/	ply be timely filed (30) days will be considered timely. IHS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).			
Status			•			
1)⊠	Responsive to communication(s) filed o	n <u>18 July 2003</u> .				
2a) <u></u>	This action is FINAL . 2b)	oxtimes This action is non-final.				
3)	Since this application is in condition for closed in accordance with the practice u	•	·			
Disposit	ion of Claims					
5)	Claim(s) 1-12 is/are pending in the appl 4a) Of the above claim(s) is/are w Claim(s) is/are allowed. Claim(s) 1-12 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction	vithdrawn from consideration.				
Applicat	ion Papers					
9)[The specification is objected to by the Ex	xaminer.				
10)🖂	☑ The drawing(s) filed on 18 July 2003 is/are: a)☑ accepted or b)☐ objected to by the Examiner.					
	Applicant may not request that any objection	n to the drawing(s) be held in abeyand	ce. See 37 CFR 1.85(a).			
11)	Replacement drawing sheet(s) including the The oath or declaration is objected to by	,	· •).		
Priority	under 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for the All b) Some * c) None of: 1. Certified copies of the priority documents of the priority documents. Copies of the certified copies of the application from the International See the attached detailed Office action for	cuments have been received. cuments have been received in Ap he priority documents have been Bureau (PCT Rule 17.2(a)).	oplication No received in this National Stage			
Attachmen	ut(s)					
	ce of References Cited (PTO-892)		ummary (PTO-413)			
	ce of Draftsperson's Patent Drawing Review (PTO- mation Disclosure Statement(s) (PTO-1449 or PTO)/Mail Date formal Patent Application (PTO-152)			
	er No(s)/Mail Date	6) Other:	<i>→</i>			

Art Unit: 1764

DETAILED ACTION

Claim Objections

Claim 1 is objected to because of the expression "stripping said diluent" in line 20. To make to the claim clearer, the examiner suggests that the expression should be recited as -- stripping said diluent from said dehydrated crude--.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 10 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The expression "the step of upgrading said dehydraded crude oil by unit operations selected from the group consisting of" in lines 2-3 of claim 10 renders the claim indefinite because it is unclear what the consisting step is.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1764

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-9, 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Clare et al. (4,789,461) in view of Ohsol et al. (5,948,242).

Applicant is claiming several processes for removing water and solids from a crude oil. The claimed processes involve exposing a crude oil source containing water with a diluent to a dry crude oil thereby vaporizing the water in the source as well as steps for isolating solids present in the dehydrated crude. Applicant further claims re-circulating at least a portion of the dehydrated crude for contact with the crude source or the dehydrator. Applicant also claims preconditioning the crude to remove solids and minerals from the source, specific crude specifications and method separation steps.

The reference of Clare et al.(4,789,461) discloses a method for the removal of water from crude oil. See column 2, lines 25-30. It is preferable that the dehydrated oil has a water content less than 0.5% by volume. See column 3, lines 49-51. The reference teaches that the crude oil is sprayed onto the surface of heated liquid within a casing of a dehydrator. See column 2, lines 42-46. The crude oil has an API of 3° to 18° and is converted to 18° to 25°. See column 5, lines 61-64. The liquid in the casing is maintained above the distillation temperature for evaporating

Art Unit: 1764

water and lighter hydrocarbons. See column 2, lines 33-36. The liquid is largely dehydrated.

See column 2, lines 46-49. The water in the incoming crude is evaporated at the surface of the

heated liquid. See column 2, lines 59-60. Clare et al.(4,789,461) further discloses that a portion

of the dehydrated crude may be recycled and mixed with crude prior to it entering the heating

chamber and additional amount of diluent (light hydrocarbon) is stripped from the dehydrated

crude. See column 2, lines 16-19; col. 4, lines 35-39. Clare et al.(4,789,461) teaches that the

distilled water and light hydrocarbons are condensed and separated. See column 3, lines 3-6 and

43-48. The recovered light hydrocarbon (diluent) may be recycled and mixed with the incoming

feed. See column 3, lines 3-6 and 43-48. It is also disclosed that the dehydrated oil can be

returned to the dehydrator via line 19 in Fig 1. See column 4, lines 35-39. The reference teaches

an additional embodiment wherein the apparatus includes a means for separating entrained solids

by gravity. See column 3, lines 20-24.

The reference of Clare et al. (4,789,461) succeeds in disclosing a process for the

dehydration of oil with steps corresponding to applicant's exposing of a crude oil to a dry crude

oil in a dehydrator. The reference also succeeds at disclosing a preconditioning step wherein

solids are removed from the crude prior to passing it to the dehydrator. In addition, the reference

succeeds at disclosing the re-circulation of the dehydrated crude and diluent to the crude feed or

back to the dehydrator.

Claims 1, 2 and 3:

Clare does not specifically disclose that the dehydrated crude is passed into at least one of

steam stripping or flashing to remove diluent from the dehydrated crude.

Art Unit: 1764

Ohsol discloses a process for upgrading heavy crude oil wherein an oil/diluent is heated and then passed into a steam-stripping zone to remove diluent from the oil product. (See col. 12, lines 15-25)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Clare by separating diluent from the dehydrated crude by heating and stripping the dehydrated crude as taught by Ohsol because the stripping step is effective to further remove diluent from dehydrated crude oil to further improve the properties of the hydrated crude oil.

Claims 4 and 5:

Clare does not disclose that the diluent to crude oil ratios is between 0.1 to 1.0 or 0.3 to .6.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Clare by using the claimed ratios because one of skill in the art would use any ratios including the claimed ratios with the expectation that the results would be the same or similar when using the ratios of either 0.1 or 0.08.

Claim 6:

Clare does not disclose that the recovery phase comprises recovering diluent in an amount of greater than 90%. However, the modified process of Clare is similar to the claimed process. Therefore, it would be expected the modified process of Clare would have recovering diluent in an amount of greater than 90% as claimed.

Claim 7:

Clare does not disclose that the dehydrated crude oil is devoid of salts.

Art Unit: 1764

Ohsol discloses a process for updrading heavy crude oil production including a step of removing salts from the crude oil. (See col. 1, lines 22-27; col. 9, line 35-36)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Clare by removing salts from the dehydrated crude oil as taught by Ohsol because the presence of salts in the hydrated crude oil wreaks havoc to the processing of the oil in a refinery.

Claim 8:

The dehydrated crude oil has a water content less than 0.5 by volume. (col. 3, lines 49-50).

Claim 9:

Clare does not specifically disclose a step of upgrading the dehydrated crude oil from between 7 API and 10 API to 21 API.

However, Clare discloses that the hydrated crude is further processed in a known manner such as fractionate (upgrading) the crude oil and the crude oil having a 3-18 API is treated with an artificial solvent or diluent to change to an artificial 18-25 API. (See col. 3, lines 39-42; col. 5, lines 59-63). Since the treated crude oil has an API which overlaps the claimed API, it would be expected the API of the upgrading hydrated crude oil would overlap the claimed API as well.

Claim 11:

Clare does not specifically disclose that the dehydrated crude has a viscosity of 350 at 10°.

C. However, the modified process of Clare is similar to the claimed process in terms of feedstock, diluent, and dehydrating. It would be expected that the hydrated crude oil would have a viscosity as claimed.

Art Unit: 1764

Claim 12:

Clare does not disclose that the step of providing a diluent makeup stream for contacting with the crude oil prior to pretreating.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Clare by providing a diluent makeup stream as claimed because it is understood that if the process is continuously operated over a long period of time, diluent would be used up because diluent is not 100% recovery. Therefore, it would be effective to provide a diluent makeup stream to add a sufficient amount of diluent to the crude oil to maintain the effectiveness of the removal of solids and water from the crude oil.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-3, 7-9, and 11 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-9, 11, 13-20 of U.S. Patent No. 6,372,123 in view of Ohsol et al. (5,48,242).

Art Unit: 1764

The U.S. Patent claims do not claim a step of stripping diluent from the dehydrated crude oil.

Ohsol discloses a process for upgrading heavy crude oil wherein an oil/diluent is heated and then passed into a steam-stripping zone to remove diluent from the oil product. (See col. 12, lines 15-25)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of the U.S. Patented claims by using the steam stripping step of Ohsol because the Ohsol stripping step is effective to further remove diluent from the dehydrated crude oil to further improve the properties of the hydrated crude oil. Consequently, the dehydrated crude oil of the U.S. Patented claims would have similar properties as the present claimed dehydrated crude oil because of the similarities between the two sets of claims.

Claims 1-3, 7-9, 11, and 12 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 10, 13, 14, 15, 16, 17, 20, 22, 24, and 25 of copending Application No. 10/011,319 in view of Ohsol et al. 5,948,242

The copending claims do not claim a step of stripping diluent from the dehydrated crude oil.

Ohsol discloses a process for upgrading heavy crude oil wherein an oil/diluent is heated and then passed into a steam-stripping zone to remove diluent from the oil product. (See col. 12, lines 15-25)

Application/Control Number: 10/621,516 Page 9

Art Unit: 1764

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of copending claims by using the steam stripping step of Ohsol because the Ohsol stripping step is effective to further remove diluent from the dehydrated crude oil to further improve the properties of the hydrated crude oil.

This is a <u>provisional</u> obviousness-type double patenting rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tam M. Nguyen whose telephone number is (571) 272-1452. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on (571) 272-1444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tam M. Nguyen

Examiner

Com

Art Unit 1764